

OrderReshop - Reprice the Itinerary for an un- ticketed order

- [Introduction](#)
 - [Pre-conditions](#)
 - [Limitations](#)
- [Request](#)
 - [Data Model](#)
 - [Interface definition](#)
- [Response](#)
 - [Data Model](#)
 - [Interface definition](#)
 - [DataLists](#)
 - [PaxList](#)
 - [PaxSegmentList](#)
 - [PenaltyList](#)
 - [PriceClassList](#)
 - [DescriptionMetadatas](#)
 - [ReshopResults](#)
 - [FareDetail](#)
 - [TotalPrice](#)
 - [OriginalOrderItem](#)
- [Errors Management](#)
- [Examples](#)
 - [Use case: Reprice for 1 ADT and 1 CHD, 1 SEG](#)

- [Legal Disclaimer](#)

Introduction

The OrderReshopRQ is used to reprice the itinerary of an un-ticketed order.

Pre-conditions

- The order must be un-ticketed.
- No itinerary or passengers modifications must occur between the Order creation and the Reprice step.
- In case of servicing flow (to perform an exchange), to support the offer persistency, OrderReshop reprice is a mandatory step (after the OrderReshop to get the ATC offers, and before the OrderChange to rebook and reissuance).

Limitations

- It's not possible to reprice ancillaries and seats.
- In the response, only the pricing data related to the original itinerary order item/repriced itinerary are displayed (no ancillaries original pricing).
- It's not possible to change FOP at repricing (e.g.: to override OB fees).
- No ticketing time limit/offer expiration time is returned in the response.
- CMS/Static file fare conditions are retrieved automatically in EN language only.
- It is possible to reprice the itinerary even if the TST is still valid.
- Currency is the same as used for the Order creation, it is not possible to override it in the request.
- In case of discounts, the original amount and reason for discount info is not displayed.
- It is not possible to add in input FQTV/CLID/Promo Code information.

Request

Data Model

Please refer to IATA OrderReshopRQ 18.1 schema.

Interface definition

XML Element	XML path	Mandatory (M) / Optional (O)	Repetition	Description
Request	OrderReshopRQ/Request	M	1	It contains the reshop actions.
OrderItemRefID	OrderReshopRQ/Request/OrderItemRefID	M	1	The orderID of the order to reprice. E.g.: 6X_5XK87G
UpdateOrder	OrderReshopRQ/Request/UpdateOrder	M	1	Option to reprice an order.
RepriceOrder	OrderReshopRQ/Request/UpdateOrder/RepriceOrder	M	1	Function to reprice the itinerary order item of the order. To be sent empty,

```

<Request>
  <OrderItemRefID>6X_5XK87G</OrderItemRefID>
  <UpdateOrder>
    <RepriceOrder/>
  </UpdateOrder>
</Request>

```

Table 1 Request example

Response

Data Model

Please refer to IATA OrderReshopRS 18.1 schema.

Interface definition

DataLists

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	/ns2:Or/ns2:OrderReshopRS/ns2:ResponseReshopRS/ns2:Response	M	1	OrderReshopRS results.
	/ns2:OrderReshopRS/ns2:Response/ns2:DataLists	O	1	Data List information.

PaxList

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
Pax	OrderReshopRS/Response/DataLists/PaxList/Pax	O		XML node containing the PAX info.
PaxID	OrderReshopRS/Response/DataLists/PaxList/Pax/PaxID	M	1	Unique passenger ID. Ex: PAX1, PAX2, ..
PTC	/OrderReshopRS/Response/DataLists/PaxList/Pax/PTC	O	1	PAX PTC.

PaxSegmentList

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/PaxSegmentID	O	1	Unique segment ID. Ex: SEG1, SEG2, ..
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/Duration	O	1	This duration represents the Effective Flight Time of a segment of a journey. Example: PT2H15M.
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/Dep/IATA_LocationCode	O	1	3-letters IATA code
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/Dep/TerminalName	O	1	The name of the terminal.
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/Dep/AircraftScheduledDateTime	O	1	Format: YYYY-MM-DDTHH:MM:SSZ
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/Arrival/IATA_LocationCode	O	1	3-letters IATA code
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/Arrival/TerminalName	O	1	The name of the terminal.
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/Arrival/AircraftScheduledDateTime	O	1	Format: YYYY-MM-DDTHH:MM:SSZ
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/Marketing	O	1	2-letters IATA code

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	CarrierInfo/CarrierDesignCode			
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/MarketingCarrierInfo/CarrierName	O	1	Commercial name of the carrier.
	/OrderReshopRS/Response/DataLists/PaxSegmentList/PaxSegment/MarketingCarrierInfo/MarketingCarrierFlightNumberText	O	1	The numerical designation of a flight as it is marketed by a carrier.

PenaltyList

		Mandatory (M) / Optional (O)	Repetition	Description
	/OrderReshopRS/Response/DataLists/PenaltyList/Penalty	O	1...n	Penalty section.
	/OrderReshopRS/Response/DataLists/PenaltyList/Penalty/PenaltyID	O	1	Penalty Unique ID.
	/OrderReshopRS/Response/DataLists/PenaltyList/Penalty/DescText	O	1	Purchase Condition Description Text
	/OrderReshopRS/Response/DataLists/PenaltyList/Penalty/AppCode	O	1	Penalty application type (NOS for No Show,...)
	/OrderReshopRS/Response/DataLists/PenaltyList/Penalty/ChangeFeeInd	O	1	This flag when set as TRUE indicates that cancellation charges will apply
	Cancel Fee Indicator	O	1	This flag when set as TRUE indicates that cancellation charges will apply

		Mandatory (M) / Optional (O)	Repetition	Description
	/OrderReshopRS/Response/DataLists/PenaltyList/Penalty/PenaltyAmount	O	1	Penalty amount. Currency is included in the attribute "CurCode".

PriceClassList

XML Element	XPath	Mandatory (M) / Optional (O)	Repetition	Description
PriceClassID	/OrderReshopRS/Response/DataLists/PriceClassList/PriceClass/PriceClassID	O	1	Unique fare family ID. Ex: FFM1, FFM2, ..
Code	/OrderReshopRS/Response/DataLists/PriceClassList/PriceClass/Code	O	1	Fare family code.
Name	/OrderReshopRS/Response/DataLists/PriceClassList/PriceClass/Name	O	1	Fare family name.
DescID	/OrderReshopRS/Response/DataLists/PriceClassList/PriceClass/Desc/DescID	O	1	Unique identifier of the fare Description.
DescText	/OrderReshopRS/Response/DataLists/PriceClassList/PriceClass/Desc/DescText	O	1	Description text value.

DescriptionMetadatas

Details on the fare families characteristics are returned in the DescriptionMetadata element as follows:

- Key: Fare family name
- Topic: description of the rule in a localized free text format.

Designation	Repetition	Status	Location	Comments
ObjectKey	1	M	OrderReshopRS/Response/Metadata/Other/OtherMetadata/DescriptionMetadatas/DescriptionMetadata[n]/@MetadataKey	Unique rule ID. Ex: bagAllo, cancel, loungAcc..
Description topic	1	O	OrderReshopRS/Response/Metadata/Other/OtherMetadata/DescriptionMetadatas/DescriptionMetadata[n]/Topic	Localized description of the rule.

```

<OtherMetadata>
  <DescriptionMetadatas>
    <DescriptionMetadata MetadataKey="bagAllo">
      <Topic>Carry-on baggage max. 8kg/bag</Topic>
    </DescriptionMetadata>
    <DescriptionMetadata MetadataKey="cancel">
      <Topic>Cancellation (before / after departure)</Topic>
    </DescriptionMetadata>
    <DescriptionMetadata MetadataKey="checkBags">
      <Topic>Checked baggage max. 23kg/bag</Topic>
    </DescriptionMetadata>
    <DescriptionMetadata MetadataKey="loungAcc">
      <Topic>Lounge access</Topic>
    </DescriptionMetadata>
    <DescriptionMetadata MetadataKey="nameChange">
      <Topic>Name change</Topic>
    </DescriptionMetadata>
    <DescriptionMetadata MetadataKey="prioCheck">
      <Topic>Priority check-in \& boarding</Topic>
    </DescriptionMetadata>
    <DescriptionMetadata MetadataKey="prioSec">
      <Topic>Priority security</Topic>
    </DescriptionMetadata>
    <DescriptionMetadata MetadataKey="rebook">
      <Topic>Changes (before / after departure)</Topic>
    </DescriptionMetadata>
    <DescriptionMetadata MetadataKey="selectSeat">
      <Topic>Seat selection</Topic>
    </DescriptionMetadata>
  </DescriptionMetadatas>
</OtherMetadata>

```

Note: In this example fare conditions are returned in English. Other languages are available as soon as provided by the airline. The chosen language has to be sent in OfferPrice request (OfferPriceRQ/Parameters/Languages/LanguageCode). In case no language is received in the request, the descriptions are returned in English.

ReshopResults

XML Element	XPath	Mandatory (M) / Optional (O)	Repetition	Description
ReshopResults	/OrderReshopRS/Response/ReshopResults	M	1	Results of the OrderReshop request.
RepricedOffer	/OrderReshopRS/Response/ReshopResults/RepricedOffer	M	1	Details about the repriced itinerary pricing information.
OfferRefID	/OrderReshopRS/Response/ReshopResults/RepricedOffer/OfferRefID	M	1	Repriced offer ID.
OwnerCode	/OrderReshopRS/Response/ReshopResults/RepricedOffer/OwnerCode	M	1	Airline code.
RepricedOfferItem	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem	M	1...n	Offers details.
OfferItemRefID	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/OfferItemRefID	M	1	Offer Item ID.

```

<ns2:ReshopResults>
  <ns2:RepricedOffer>
    <ns2:OfferRefID>SP3P-8527852023283759849-1</ns2:OfferRefID>
    <ns2:OwnerCode>6X</ns2:OwnerCode>
    <ns2:RepricedOfferItem>
      <ns2:OfferItemRefID>SP3P-8527852023283759849-1-1</ns2:OfferItemRefID>
    </ns2:RepricedOfferItem>
  </ns2:RepricedOffer>
</ns2:ReshopResults>

```

Table 2 ReshopResults Example

FareDetail

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	/OrderReshopRS/Response/ReshopResults/Repriced	O	0...n	Fare details structure.

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	Offer/RepricedOfferItem/FareDetail			
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/PassengerRefs	O	0...n	Passengers associated with the specific Fare Detail instance. Allows the Price breakdown of the fare for the offeritem per passenger (grouped by PTC).
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price	O	1	Total price of all FareComponent prices. Price reflects a per-passenger price referenced within this FareDetail.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/TotalAmount	O	1	Total price amount.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/TotalAmount/DetailCurrencyPrice/Total	O	1	Total price in currency.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/BaseAmount	O	1	Base Amount excluding taxes, fees, and surcharges.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/Taxes	O	1	Taxes details.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/Taxes/Total	O	1	It is equal to the sum of taxes over all passengers.

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	areDetail/Price/Taxes/Total			
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/Taxes/Breakdown	O	1	A collection of detailed taxes.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/Taxes/Breakdown/Tax	O	1...n	Tax breakdown details.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/Taxes/Breakdown/Tax/Amount	O	1	Amount.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/Taxes/Breakdown/Tax/Nation	O	1	Tax designator.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/Price/Taxes/Breakdown/Tax/TaxCode	O	1	Tax code.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent	O	1...n	Fare component information, which includes the fare basis code.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareBasis	O	1	Fare basis information.
	/OrderReshopRS/Response/ReshopResults/Repriced	O	1	Fare basis code.

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	Offer/RepricedOfferItem/FareDetail/FareComponent/FareBasis/FareBasisCode			
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareBasis/FareBasisCode/Code	O	1	Fare basis code.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareBasis/FareRulesRemarks	O	1	
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareBasis/FareRulesRemarks/FareRulesRemark	O	1...n	
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareBasis/FareRulesRemarks/FareRulesRemark/Category	O	1	FT as "Fare Type"
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareBasis/FareRulesRemarks/FareRulesRemark/Text	O	1	The fare type.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/F	O	1	RBD

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	areDetail/FareComponent/FareBasis/RBD			
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareBasis/CabinType	O	1	Cabin details.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareBasis/CabinType/CabinTypeCode	O	1	Cabin type code.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareBasis/CabinType/CabinTypeName	O	1	Cabin type name.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareRules	O	1	Fare Rules.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/FareRules/Penalty	O	1	List of applicable MNR info.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/FareDetail/FareComponent/PriceClassRef	O	1	Price class reference.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/F	O	1	Segment references.

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	areDetail/FareComponent /SegmentRefs			

```

<FareDetail>
  <PassengerRefs>PAX2</PassengerRefs>
  <Price>
    <TotalAmount>
      <DetailCurrencyPrice>
        <Total Code="SGD">674.20</Total>
      </DetailCurrencyPrice>
    </TotalAmount>
    <BaseAmount Code="SGD">597.00</BaseAmount>
    <Taxes>
      <Total Code="SGD">77.20</Total>
      <Breakdown>
        <Tax>
          <Amount Code="SGD">6.10</Amount>
          <Nation>AE</Nation>
          <TaxCode>OP</TaxCode>
        </Tax>
        <Tax>
          <Amount Code="SGD">35.40</Amount>
          <Nation>AD</Nation>
          <TaxCode>SG</TaxCode>
        </Tax>
        <Tax>
          <Amount Code="SGD">4.20</Amount>
          <Nation>VY</Nation>
          <TaxCode>WG</TaxCode>
        </Tax>
        <Tax>
          <Amount Code="SGD">31.50</Amount>
          <Nation>DE</Nation>
          <TaxCode>WY</TaxCode>
        </Tax>
      </Breakdown>
    </Taxes>
  </Price>
  <FareComponent>
    <FareBasis>
      <FareBasisCode>
        <Code>A16BCD</Code>
      </FareBasisCode>
      <FareRulesRemarks>
        <FareRulesRemark>
          <Category>FT</Category>
          <Text>NEGOTIATED FARE</Text>
        </FareRulesRemark>
      </FareRulesRemarks>
    </FareBasis>
  </FareComponent>
</FareDetail>

```



```

        </FareRulesRemarks>
        <RBD>Q</RBD>
        <CabinType>
            <CabinTypeCode xsi:type="xs:string"

xmlns:xs="http://www.w3.org/2001/XMLSchema"

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">M</CabinTypeCode>
            <CabinTypeName xsi:type="xs:string"

xmlns:xs="http://www.w3.org/2001/XMLSchema"

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">ECO</CabinTypeName>
        </CabinType>
    </FareBasis>
    <FareRules>
        <Penalty refs="AMNT1 AMNT2 AMNT3 AMNT4 AMNT5 AMNT6 AMNT7 AMNT8
AMNT9 AMNT10 AMNT11 AMNT12 AMNT13 AMNT14 AMNT15 AMNT16 AMNT17 AMNT18 AMNT19
AMNT20 AMNT21 AMNT22 AMNT23 AMNT24 FLAG1 FLAG2 FLAG3 FLAG4 FLAG5 FLAG6 FLAG7
FLAG8 FLAG9 FLAG10 FLAG11 FLAG12 FLAG13 AMNT25 AMNT26 AMNT27 AMNT28 AMNT29
AMNT30 AMNT31 AMNT32 AMNT33 AMNT34 AMNT35 AMNT36 FLAG14 FLAG15 FLAG16 FLAG17
FLAG18"/>
    </FareRules>
    <PriceClassRef>FF1</PriceClassRef>
    <SegmentRefs>SEG1</SegmentRefs>
</FareComponent>
</FareDetail>

```

Table 3 FareDetail Example

TotalPrice

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/TotalPrice	M	1	Total price info.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/TotalPrice/TotalAmount	M	1	Repriced itinerary offer item total amount and currency.

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/TotalPrice/BaseAmount	M	1	Repriced itinerary offer item base amount and currency.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/TotalPrice/TaxSummary	M	1	Taxes summary.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/TotalPrice/TaxSummary/TotalTaxAmount	M	1	Repriced itinerary offer item total taxes amount and currency.

```

<TotalPrice>
  <TotalAmount CurCode="SGD">1202.40</TotalAmount>
  <BaseAmount CurCode="SGD">1048.00</BaseAmount>
  <TaxSummary>
    <TotalTaxAmount CurCode="SGD">154.40</TotalTaxAmount>
  </TaxSummary>
</TotalPrice>

```

Table 4 TotalPrice Example

OriginalOrderItem

This node contains info related to the original price of the itinerary.

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/OriginalOrderItem	M	1	Original Order Item info.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/OriginalOrderItem/OrderItemRefID	M	1	Itinerary Order item ID. E.g.: Itinerary Order item ID. E.g.: 6X_5VVM GQ_AIR_1
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/OriginalOrderItem/TotalPrice	M	1	Total price info.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/OriginalOrderItem/TotalPrice/TotalAmount	M	1	Itinerary total amount and currency of the order.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/OriginalOrderItem/TotalPrice/BaseAmount	M	1	Itinerary base amount and currency of the order.

XML Element	XML Path	Mandatory (M) / Optional (O)	Repetition	Description
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/OriginalOrderItem/TotalPrice/TaxSummary	M	1	Taxes summary.
	/OrderReshopRS/Response/ReshopResults/RepricedOffer/RepricedOfferItem/OriginalOrderItem/TotalPrice/TaxSummary/TotalTaxAmount	M	1	Itinerary total taxes amount and currency of the order.

```

<OriginalOrderItem>
  <OrderItemRefID>6X_5VVMGQ_AIR_1</OrderItemRefID>
  <TotalPrice>
    <TotalAmount CurCode="SGD">1202.40</TotalAmount>
    <BaseAmount CurCode="SGD">1048.00</BaseAmount>
    <TaxSummary>
      <TotalTaxAmount CurCode="SGD">154.40</TotalTaxAmount>
    </TaxSummary>
  </TotalPrice>
</OriginalOrderItem>

```

Table 5 OriginalOrderItem Example

Errors Management

In case of error at repricing time, the following error info is returned:

```
<ns2:Errors>  
  <ns2:Code>911</ns2:Code>  
  <ns2:DescText>UNABLE TO RETRIEVE OFFER</ns2:DescText>  
  <ns2:LanguageCode>GB</ns2:LanguageCode>  
  <ns2:TypeCode>E</ns2:TypeCode>  
</ns2:Errors>
```

Table 6 Error Example

Examples

Use case: Reprice for 1 ADT and 1 CHD, 1 SEG

```

<OrderReshopRQ xmlns="http://www.iata.org/IATA/2015/00/2018.1/OrderReshopRQ">
  <PointOfSale>
    <Country>
      <CountryCode>AU</CountryCode>
    </Country>
  </PointOfSale>
  <Party>
    <Participant>
      <Aggregator>
        <AggregatorID>1A</AggregatorID>
      </Aggregator>
    </Participant>
    <Recipient>
      <ORA>
        <AirlineDesigCode>6X</AirlineDesigCode>
      </ORA>
    </Recipient>
    <Sender>
      <TravelAgency>
        <AgencyID>12345678</AgencyID>
        <IATA_Number>12345678</IATA_Number>
        <PseudoCityID>NCE1A28GR</PseudoCityID>
      </TravelAgency>
    </Sender>
  </Party>
  <Request>
    <OrderItemRefID>6X_5VVMGQ</OrderItemRefID>
    <UpdateOrder>
      <RepriceOrder/>
    </UpdateOrder>
  </Request>
</OrderReshopRQ>

```

Table 7 Request

```

<ns2:OrderReshopRS
xmlns="http://www.iata.org/IATA/2015/00/2018.1/OrderReshopRQ"

xmlns:ns2="http://www.iata.org/IATA/2015/00/2018.1/OrderReshopRS"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

xsi:schemaLocation="http://www.iata.org/IATA/2015/00/2018.1/OrderReshopRS
file:///C:/Users/fforleo/Documents/18_1_EDIST_schemas/OrderReshopRS.xsd">
  <ns2:Response>
    <ns2:DataLists>
      <ns2:PaxList>
        <ns2:Pax>
          <ns2:PaxID>PAX2</ns2:PaxID>
          <ns2:PTC>ADT</ns2:PTC>
        </ns2:Pax>
        <ns2:Pax>
          <ns2:PaxID>PAX3</ns2:PaxID>
          <ns2:PTC>CHD</ns2:PTC>
        </ns2:Pax>
      </ns2:PaxList>
      <ns2:PaxSegmentList>
        <ns2:PaxSegment>
          <ns2:PaxSegmentID>SEG1</ns2:PaxSegmentID>
          <ns2:Duration>PT7H50M</ns2:Duration>
          <ns2:Dep>
            <ns2:IATA_LocationCode>SIN</ns2:IATA_LocationCode>
            <ns2:TerminalName>3</ns2:TerminalName>
            <ns2:AircraftScheduledDateTime>2020-12-
12T07:05:00</ns2:AircraftScheduledDateTime>
          </ns2:Dep>
          <ns2:Arrival>
            <ns2:IATA_LocationCode>SYD</ns2:IATA_LocationCode>
            <ns2:TerminalName>1</ns2:TerminalName>
            <ns2:AircraftScheduledDateTime>2020-12-
12T17:55:00</ns2:AircraftScheduledDateTime>
          </ns2:Arrival>
          <ns2:MarketingCarrierInfo>
            <ns2:CarrierDesigCode>6X</ns2:CarrierDesigCode>
            <ns2:CarrierName>SIX HEX</ns2:CarrierName>

<ns2:MarketingCarrierFlightNumberText>123</ns2:MarketingCarrierFlightNumberTex
t>

          </ns2:MarketingCarrierInfo>
        </ns2:PaxSegment>
      </ns2:PaxSegmentList>

```

```

    <ns2:PenaltyList>
      <ns2:Penalty>
        <ns2:PenaltyID>AMNT9</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund maximum penalty amount for
the ticket before departure no show</ns2:DescText>
        <ns2:AppCode>BNT</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount
CurCode="SGD">400.00</ns2:PenaltyAmount>
      </ns2:Penalty>
      <ns2:Penalty>
        <ns2:PenaltyID>AMNT26</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund maximum penalty amount before
departure</ns2:DescText>
        <ns2:AppCode>BDX</ns2:AppCode>
        <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
      </ns2:Penalty>
      <ns2:Penalty>
        <ns2:PenaltyID>AMNT2</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund maximum penalty amount before
departure</ns2:DescText>
        <ns2:AppCode>BDX</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
      </ns2:Penalty>
      <ns2:Penalty>
        <ns2:PenaltyID>AMNT4</ns2:PenaltyID>
        <ns2:DescText>Revalidation minimum penalty amount before
departure</ns2:DescText>
        <ns2:AppCode>BDI</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
      </ns2:Penalty>
      <ns2:Penalty>
        <ns2:PenaltyID>AMNT17</ns2:PenaltyID>
        <ns2:DescText>Revalidation maximum penalty amount after
departure</ns2:DescText>
        <ns2:AppCode>ADU</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
      </ns2:Penalty>
      <ns2:Penalty>
        <ns2:PenaltyID>AMNT20</ns2:PenaltyID>

```



```

        <ns2:DescText>Reissue/Refund maximum penalty amount after
departure no show</ns2:DescText>
        <ns2:AppCode>ANX</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT33</ns2:PenaltyID>
    <ns2:DescText>Reissue/Refund maximum penalty amount after
departure no show</ns2:DescText>
    <ns2:AppCode>ANX</ns2:AppCode>
    <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT21</ns2:PenaltyID>
    <ns2:DescText>Reissue/Refund maximum penalty amount for
the ticket after departure no show</ns2:DescText>
    <ns2:AppCode>ANT</ns2:AppCode>
    <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT28</ns2:PenaltyID>
    <ns2:DescText>Reissue/Refund minimum penalty amount before
departure no show</ns2:DescText>
    <ns2:AppCode>BNM</ns2:AppCode>
    <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT34</ns2:PenaltyID>
    <ns2:DescText>Reissue/Refund maximum penalty amount for
the ticket after departure no show</ns2:DescText>
    <ns2:AppCode>ANT</ns2:AppCode>
    <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT27</ns2:PenaltyID>
    <ns2:DescText>Reissue/Refund maximum penalty amount for
the ticket before departure</ns2:DescText>
    <ns2:AppCode>BDT</ns2:AppCode>
    <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>

```

```

</ns2:Penalty>
<ns2:Penalty>
  <ns2:PenaltyID>AMNT25</ns2:PenaltyID>
  <ns2:DescText>Reissue/Refund minimum penalty amount before
departure</ns2:DescText>
  <ns2:AppCode>BDM</ns2:AppCode>
  <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
  <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
  <ns2:PenaltyID>AMNT7</ns2:PenaltyID>
  <ns2:DescText>Reissue/Refund minimum penalty amount before
departure no show</ns2:DescText>
  <ns2:AppCode>BNM</ns2:AppCode>
  <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
  <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
  <ns2:PenaltyID>AMNT1</ns2:PenaltyID>
  <ns2:DescText>Reissue/Refund minimum penalty amount before
departure</ns2:DescText>
  <ns2:AppCode>BDM</ns2:AppCode>
  <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
  <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
  <ns2:PenaltyID>AMNT18</ns2:PenaltyID>
  <ns2:DescText>Revalidation maximum penalty amount for the
ticket after departure</ns2:DescText>
  <ns2:AppCode>ADC</ns2:AppCode>
  <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
  <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
  <ns2:PenaltyID>AMNT8</ns2:PenaltyID>
  <ns2:DescText>Reissue/Refund maximum penalty amount before
departure no show</ns2:DescText>
  <ns2:AppCode>BNX</ns2:AppCode>
  <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
  <ns2:PenaltyAmount
CurCode="SGD">400.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
  <ns2:PenaltyID>AMNT15</ns2:PenaltyID>

```

```

        <ns2:DescText>Reissue/Refund maximum penalty amount for
the ticket after departure</ns2:DescText>
        <ns2:AppCode>ADT</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT5</ns2:PenaltyID>
    <ns2:DescText>Revalidation maximum penalty amount before
departure</ns2:DescText>
    <ns2:AppCode>BDU</ns2:AppCode>
    <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT14</ns2:PenaltyID>
    <ns2:DescText>Reissue/Refund maximum penalty amount with
sale currency</ns2:DescText>
    <ns2:AppCode>ADX</ns2:AppCode>
    <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT12</ns2:PenaltyID>
    <ns2:DescText>Revalidation maximum penalty amount for the
ticket before departure no show</ns2:DescText>
    <ns2:AppCode>BNC</ns2:AppCode>
    <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
    <ns2:PenaltyAmount
CurCode="SGD">400.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT30</ns2:PenaltyID>
    <ns2:DescText>Reissue/Refund maximum penalty amount with
sale currency</ns2:DescText>
    <ns2:AppCode>ADX</ns2:AppCode>
    <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
</ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT31</ns2:PenaltyID>
    <ns2:DescText>Reissue/Refund maximum penalty amount for
the ticket after departure</ns2:DescText>
    <ns2:AppCode>ADT</ns2:AppCode>
    <ns2:CancelFeeInd>true</ns2:CancelFeeInd>

```

```

        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>AMNT36</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund maximum penalty amount for
the ticket before departure no show</ns2:DescText>
        <ns2:AppCode>BNT</ns2:AppCode>
        <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>AMNT24</ns2:PenaltyID>
        <ns2:DescText>Revalidation maximum penalty amount for the
ticket after departure no show</ns2:DescText>
        <ns2:AppCode>ANC</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>AMNT35</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund maximum penalty amount before
departure no show</ns2:DescText>
        <ns2:AppCode>BNX</ns2:AppCode>
        <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>AMNT6</ns2:PenaltyID>
        <ns2:DescText>Revalidation maximum penalty amount for the
ticket before departure</ns2:DescText>
        <ns2:AppCode>BDC</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>AMNT3</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund maximum penalty amount for
the ticket before departure</ns2:DescText>
        <ns2:AppCode>BDT</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>AMNT13</ns2:PenaltyID>

```

```

        <ns2:DescText>Reissue/Refund minimum penalty amount after
departure</ns2:DescText>
        <ns2:AppCode>ADM</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT11</ns2:PenaltyID>
    <ns2:DescText>Revalidation maximum penalty amount before
departure no show</ns2:DescText>
    <ns2:AppCode>BNU</ns2:AppCode>
    <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
    <ns2:PenaltyAmount
CurCode="SGD">400.00</ns2:PenaltyAmount>
    </ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT23</ns2:PenaltyID>
    <ns2:DescText>Revalidation maximum penalty amount after
departure no show</ns2:DescText>
    <ns2:AppCode>ANU</ns2:AppCode>
    <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT22</ns2:PenaltyID>
    <ns2:DescText>Revalidation minimum penalty amount after
departure no show</ns2:DescText>
    <ns2:AppCode>ANI</ns2:AppCode>
    <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
    <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT10</ns2:PenaltyID>
    <ns2:DescText>Revalidation minimum penalty amount before
departure no show</ns2:DescText>
    <ns2:AppCode>BNI</ns2:AppCode>
    <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
    <ns2:PenaltyAmount
CurCode="SGD">400.00</ns2:PenaltyAmount>
    </ns2:Penalty>
<ns2:Penalty>
    <ns2:PenaltyID>AMNT32</ns2:PenaltyID>
    <ns2:DescText>Reissue/Refund minimum penalty amount after
departure no show</ns2:DescText>
    <ns2:AppCode>ANM</ns2:AppCode>

```

```

        <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>AMNT19</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund minimum penalty amount after
departure no show</ns2:DescText>
        <ns2:AppCode>ANM</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>AMNT29</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund minimum penalty amount after
departure</ns2:DescText>
        <ns2:AppCode>ADM</ns2:AppCode>
        <ns2:CancelFeeInd>true</ns2:CancelFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>AMNT16</ns2:PenaltyID>
        <ns2:DescText>Revalidation minimum penalty amount after
departure</ns2:DescText>
        <ns2:AppCode>ADI</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
        <ns2:PenaltyAmount CurCode="SGD">0.00</ns2:PenaltyAmount>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG3</ns2:PenaltyID>
        <ns2:DescText>Revalidation before departure is allowed?
Allowed with restrictions</ns2:DescText>
        <ns2:AppCode>RVA-1</ns2:AppCode>
        <ns2:ChangeFeeInd>true</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG15</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund after departure allowed? Not
allowed</ns2:DescText>
        <ns2:AppCode>ADA-0</ns2:AppCode>
        <ns2:CancelFeeInd>>false</ns2:CancelFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG5</ns2:PenaltyID>

```

```

        <ns2:DescText>Reissue penalties can be waived for
passenger and family death/illness for before departure no show? Not
allowed</ns2:DescText>
        <ns2:AppCode>BNW-0</ns2:AppCode>
        <ns2:ChangeFeeInd>>false</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG7</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund before departure when no show
allowed? Allowed with restrictions</ns2:DescText>
        <ns2:AppCode>BNA-1</ns2:AppCode>
        <ns2:ChangeFeeInd>>true</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG10</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund after departure allowed? Not
allowed</ns2:DescText>
        <ns2:AppCode>ADA-0</ns2:AppCode>
        <ns2:ChangeFeeInd>>false</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG18</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund before departure when no show
allowed? Not allowed</ns2:DescText>
        <ns2:AppCode>BNA-0</ns2:AppCode>
        <ns2:CancelFeeInd>>false</ns2:CancelFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG12</ns2:PenaltyID>
        <ns2:DescText>Revalidation after departure when no show is
allowed? Not allowed</ns2:DescText>
        <ns2:AppCode>ANR-0</ns2:AppCode>
        <ns2:ChangeFeeInd>>false</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG2</ns2:PenaltyID>
        <ns2:DescText>Reissue penalties can be waived for
passenger and family death/illness before departure? Not
allowed</ns2:DescText>
        <ns2:AppCode>WAI-0</ns2:AppCode>
        <ns2:ChangeFeeInd>>false</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG11</ns2:PenaltyID>

```

```

        <ns2:DescText>Reissue penalties can be waived for
passenger and family death/illness after departure no show? Not
allowed</ns2:DescText>
        <ns2:AppCode>ANW-0</ns2:AppCode>
        <ns2:ChangeFeeInd>>false</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG6</ns2:PenaltyID>
        <ns2:DescText>Revalidation before departure when no show
is allowed? Allowed with restrictions</ns2:DescText>
        <ns2:AppCode>BNR-1</ns2:AppCode>
        <ns2:ChangeFeeInd>>true</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG4</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund before departure allowed?
Allowed with restrictions</ns2:DescText>
        <ns2:AppCode>BDA-1</ns2:AppCode>
        <ns2:ChangeFeeInd>>true</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG9</ns2:PenaltyID>
        <ns2:DescText>Revalidation after departure is allowed? Not
allowed</ns2:DescText>
        <ns2:AppCode>ADR-0</ns2:AppCode>
        <ns2:ChangeFeeInd>>false</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG14</ns2:PenaltyID>
        <ns2:DescText>Part of rule is free form text from Cat16?
Not allowed</ns2:DescText>
        <ns2:AppCode>FFT-0</ns2:AppCode>
        <ns2:CancelFeeInd>>false</ns2:CancelFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG16</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund after departure when no show
allowed? Not allowed</ns2:DescText>
        <ns2:AppCode>ANA-0</ns2:AppCode>
        <ns2:CancelFeeInd>>false</ns2:CancelFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG8</ns2:PenaltyID>
        <ns2:DescText>Reissue penalties can be waived for
passenger and family death/illness after departure? Not allowed</ns2:DescText>

```



```

        <ns2:AppCode>ADW-0</ns2:AppCode>
        <ns2:ChangeFeeInd>>false</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG1</ns2:PenaltyID>
        <ns2:DescText>Part of rule is free form text from Cat16?
Not allowed</ns2:DescText>
        <ns2:AppCode>FFT-0</ns2:AppCode>
        <ns2:ChangeFeeInd>>false</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG13</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund after departure when no show
allowed? Not allowed</ns2:DescText>
        <ns2:AppCode>ANA-0</ns2:AppCode>
        <ns2:ChangeFeeInd>>false</ns2:ChangeFeeInd>
    </ns2:Penalty>
    <ns2:Penalty>
        <ns2:PenaltyID>FLAG17</ns2:PenaltyID>
        <ns2:DescText>Reissue/Refund before departure allowed? Not
allowed</ns2:DescText>
        <ns2:AppCode>BDA-0</ns2:AppCode>
        <ns2:CancelFeeInd>>false</ns2:CancelFeeInd>
    </ns2:Penalty>
</ns2:PenaltyList>
<ns2:PriceClassList>
    <ns2:PriceClass>
        <ns2:PriceClassID>FF1</ns2:PriceClassID>
        <ns2:Code>FF4</ns2:Code>
        <ns2:Name>Economy Value</ns2:Name>
        <ns2:Desc>
            <ns2:DescID>AWARD_ACCRUAL</ns2:DescID>
            <ns2:DescText>50%</ns2:DescText>
        </ns2:Desc>
        <ns2:Desc>
            <ns2:DescID>AWARD_ACCRUAL_FULL</ns2:DescID>
            <ns2:DescText>S50% of actual flown
distance</ns2:DescText>
        </ns2:Desc>
        <ns2:Desc>
            <ns2:DescID>AWARD_UPGRADE</ns2:DescID>
            <ns2:DescText>Not Allowed</ns2:DescText>
        </ns2:Desc>
        <ns2:Desc>
            <ns2:DescID>AWARD_UPGRADE_FULL</ns2:DescID>

```

```

        <ns2:DescText>Not allowed</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>CANCEL_BEFOREDEPARTURE</ns2:DescID>
        <ns2:DescText>SGD 400</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>CANCEL_BEFOREDEPARTURE_FULL</ns2:DescID>
        <ns2:DescText>With payment of SGD 400, subject to
currency conversion and your bank's exchange rate.</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>CANCEL_NOSHOWFIRST</ns2:DescID>
        <ns2:DescText>SGD 400</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>CANCEL_NOSHOWFIRST_FULL</ns2:DescID>
        <ns2:DescText>SGD 400</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>CHANGE_BEFOREDEPARTURE</ns2:DescID>
        <ns2:DescText>SGD 200</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>CHANGE_BEFOREDEPARTURE_FULL</ns2:DescID>
        <ns2:DescText>With payment of SGD 200 and any fare
difference, subject to currency conversion and your bank's exchange
rate.</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>CHANGE_NOSHOWFIRST</ns2:DescID>
        <ns2:DescText>SGD 400</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>CHANGE_NOSHOWFIRST_FULL</ns2:DescID>
        <ns2:DescText>SGD 400</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>CURRENCYCONVERSION_FULL</ns2:DescID>
        <ns2:DescText>Fees shown here are
indicative.</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>DISCLAIMER_FULL</ns2:DescID>

```

```

        <ns2:DescText>More details on fare conditions will be
provided upon selecting your desired flight(s)</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>MIXEDFARETYPE_FULL</ns2:DescID>
        <ns2:DescText>Each of the flight segments you've
selected comes with its own fare conditions.</ns2:DescText>
    </ns2:Desc>
    <ns2:Desc>
        <ns2:DescID>TRAVELITINERARYSEQUENCE_FULL</ns2:DescID>
        <ns2:DescText>Fares are valid only if all flight
coupons / sectors in the ticket are used in sequence.</ns2:DescText>
    </ns2:Desc>
</ns2:PriceClass>
</ns2:PriceClassList>
</ns2>DataLists>
<ns2:ReshopResults>
    <ns2:RepricedOffer>
        <ns2:OfferRefID>SP3P-8527852023283759849-1</ns2:OfferRefID>
        <ns2:OwnerCode>6X</ns2:OwnerCode>
        <ns2:RepricedOfferItem>
            <ns2:OfferItemRefID>SP3P-8527852023283759849-1-
1</ns2:OfferItemRefID>
            <ns2:FareDetail>
                <ns2:PassengerRefs>PAX2</ns2:PassengerRefs>
                <ns2:Price>
                    <ns2:TotalAmount>
                        <ns2:DetailCurrencyPrice>
                            <ns2:Total Code="SGD">684.20</ns2:Total>
                        </ns2:DetailCurrencyPrice>
                    </ns2:TotalAmount>
                    <ns2:BaseAmount Code="SGD">597.00</ns2:BaseAmount>
                    <ns2:Taxes>
                        <ns2:Total Code="SGD">87.20</ns2:Total>
                        <ns2:Breakdown>
                            <ns2:Tax>
                                <ns2:Amount
Code="SGD">16.10</ns2:Amount>
                                <ns2:Nation>AE</ns2:Nation>
                                <ns2:TaxCode>OP</ns2:TaxCode>
                            </ns2:Tax>
                            <ns2:Tax>
                                <ns2:Amount
Code="SGD">35.40</ns2:Amount>
                                <ns2:Nation>AD</ns2:Nation>

```

```

                <ns2:TaxCode>SG</ns2:TaxCode>
            </ns2:Tax>
            <ns2:Tax>
                <ns2:Amount
Code="SGD">4.20</ns2:Amount>
                <ns2:Nation>VY</ns2:Nation>
                <ns2:TaxCode>WG</ns2:TaxCode>
            </ns2:Tax>
            <ns2:Tax>
                <ns2:Amount
Code="SGD">31.50</ns2:Amount>
                <ns2:Nation>DE</ns2:Nation>
                <ns2:TaxCode>WY</ns2:TaxCode>
            </ns2:Tax>
        </ns2:Breakdown>
    </ns2:Taxes>
</ns2:Price>
<ns2:FareComponent>
    <ns2:FareBasis>
        <ns2:FareBasisCode>
            <ns2:Code>Q16SGO</ns2:Code>
        </ns2:FareBasisCode>
        <ns2:FareRulesRemarks>
            <ns2:FareRulesRemark>
                <ns2:Category>FT</ns2:Category>
                <ns2:Text>NEGOTIATED FARE</ns2:Text>
            </ns2:FareRulesRemark>
        </ns2:FareRulesRemarks>
        <ns2:RBD>Q</ns2:RBD>
        <ns2:CabinType>
            <ns2:CabinTypeCode xsi:type="xs:string"

xmlns:xs="http://www.w3.org/2001/XMLSchema"

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">M<ns2:CabinTypeCode>
            <ns2:CabinTypeName xsi:type="xs:string"

xmlns:xs="http://www.w3.org/2001/XMLSchema"

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">ECO</ns2:CabinTypeName>
        </ns2:CabinType>
    </ns2:FareBasis>
</ns2:FareRules>
        <ns2:Penalty refs="AMNT1 AMNT2 AMNT3 AMNT4
AMNT5 AMNT6 AMNT7 AMNT8 AMNT9 AMNT10 AMNT11 AMNT12 AMNT13 AMNT14 AMNT15 AMNT16

```

```

AMNT17 AMNT18 AMNT19 AMNT20 AMNT21 AMNT22 AMNT23 AMNT24 FLAG1 FLAG2 FLAG3
FLAG4 FLAG5 FLAG6 FLAG7 FLAG8 FLAG9 FLAG10 FLAG11 FLAG12 FLAG13 AMNT25 AMNT26
AMNT27 AMNT28 AMNT29 AMNT30 AMNT31 AMNT32 AMNT33 AMNT34 AMNT35 AMNT36 FLAG14
FLAG15 FLAG16 FLAG17 FLAG18"/>
    </ns2:FareRules>
    <ns2:PriceClassRef>FFM1</ns2:PriceClassRef>
    <ns2:SegmentRefs>SEG1</ns2:SegmentRefs>
  </ns2:FareComponent>
</ns2:FareDetail>
<ns2:FareDetail>
  <ns2:PassengerRefs>PAX3</ns2:PassengerRefs>
  <ns2:Price>
    <ns2:TotalAmount>
      <ns2:DetailCurrencyPrice>
        <ns2:Total Code="SGD">528.20</ns2:Total>
      </ns2:DetailCurrencyPrice>
    </ns2:TotalAmount>
    <ns2:BaseAmount Code="SGD">451.00</ns2:BaseAmount>
    <ns2:Taxes>
      <ns2:Total Code="SGD">77.20</ns2:Total>
      <ns2:Breakdown>
        <ns2:Tax>
          <ns2:Amount
Code="SGD">6.10</ns2:Amount>
          <ns2:Nation>AE</ns2:Nation>
          <ns2:TaxCode>OP</ns2:TaxCode>
        </ns2:Tax>
        <ns2:Tax>
          <ns2:Amount
Code="SGD">35.40</ns2:Amount>
          <ns2:Nation>AD</ns2:Nation>
          <ns2:TaxCode>SG</ns2:TaxCode>
        </ns2:Tax>
        <ns2:Tax>
          <ns2:Amount
Code="SGD">4.20</ns2:Amount>
          <ns2:Nation>VY</ns2:Nation>
          <ns2:TaxCode>WG</ns2:TaxCode>
        </ns2:Tax>
        <ns2:Tax>
          <ns2:Amount
Code="SGD">31.50</ns2:Amount>
          <ns2:Nation>DE</ns2:Nation>
          <ns2:TaxCode>WY</ns2:TaxCode>
        </ns2:Tax>
      </ns2:Breakdown>
    </ns2:Taxes>
  </ns2:Price>
</ns2:FareDetail>
</ns2:FareDetail>
</ns2:FareComponent>
</ns2:FareRules>

```

```

        </ns2:Breakdown>
    </ns2:Taxes>
</ns2:Price>
<ns2:FareComponent>
    <ns2:FareBasis>
        <ns2:FareBasisCode>
            <ns2:Code>A16BCD</ns2:Code>
        </ns2:FareBasisCode>
        <ns2:FareRulesRemarks>
            <ns2:FareRulesRemark>
                <ns2:Category>FT</ns2:Category>
                <ns2:Text>NEGOTIATED FARE</ns2:Text>
            </ns2:FareRulesRemark>
        </ns2:FareRulesRemarks>
        <ns2:RBD>Q</ns2:RBD>
        <ns2:CabinType>
            <ns2:CabinTypeCode xsi:type="xs:string"

xmlns:xs="http://www.w3.org/2001/XMLSchema"

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">M</ns2:CabinTypeCode>
            <ns2:CabinTypeName xsi:type="xs:string"

xmlns:xs="http://www.w3.org/2001/XMLSchema"

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">ECO</ns2:CabinTypeName>
        </ns2:CabinType>
    </ns2:FareBasis>
    <ns2:FareRules>
        <ns2:Penalty refs="AMNT1 AMNT2 AMNT3 AMNT4
AMNT5 AMNT6 AMNT7 AMNT8 AMNT9 AMNT10 AMNT11 AMNT12 AMNT13 AMNT14 AMNT15 AMNT16
AMNT17 AMNT18 AMNT19 AMNT20 AMNT21 AMNT22 AMNT23 AMNT24 FLAG1 FLAG2 FLAG3
FLAG4 FLAG5 FLAG6 FLAG7 FLAG8 FLAG9 FLAG10 FLAG11 FLAG12 FLAG13 AMNT25 AMNT26
AMNT27 AMNT28 AMNT29 AMNT30 AMNT31 AMNT32 AMNT33 AMNT34 AMNT35 AMNT36 FLAG14
FLAG15 FLAG16 FLAG17 FLAG18"/>
    </ns2:FareRules>
    <ns2:PriceClassRef>FF1</ns2:PriceClassRef>
    <ns2:SegmentRefs>SEG1</ns2:SegmentRefs>
</ns2:FareComponent>
</ns2:FareDetail>
<ns2>TotalPrice>
    <ns2>TotalAmount
CurCode="SGD">1212.40</ns2>TotalAmount>
    <ns2:BaseAmount CurCode="SGD">1048.00</ns2:BaseAmount>
    <ns2:TaxSummary>

```

```

                <ns2:TotalTaxAmount
CurCode="SGD">164.40</ns2:TotalTaxAmount>
                </ns2:TaxSummary>
            </ns2:TotalPrice>
            <ns2:OriginalOrderItem>

<ns2:OrderItemRefID>6X_5VVMGQ_AIR_1</ns2:OrderItemRefID>
                <ns2:TotalPrice>
                    <ns2:TotalAmount
CurCode="SGD">1202.40</ns2:TotalAmount>
                    <ns2:BaseAmount
CurCode="SGD">1048.00</ns2:BaseAmount>
                    <ns2:TaxSummary>
                        <ns2:TotalTaxAmount
CurCode="SGD">154.40</ns2:TotalTaxAmount>
                        </ns2:TaxSummary>
                    </ns2:TotalPrice>
                </ns2:OriginalOrderItem>
            </ns2:RepricedOfferItem>
        </ns2:RepricedOffer>
    </ns2:ReshopResults>
</ns2:Response>
</ns2:OrderReshopRS>

```

Table 8 Response

Legal Disclaimer

This document, including all information contained herein and any attached or related documents, is strictly confidential and proprietary information of Amadeus and its respective affiliates, subsidiaries, members, vendors and/or suppliers (the “Confidential Information”) and is being shared with you for the sole and exclusive purpose of providing a functional solution overview between the airline and NDC consumer as part of Amadeus Altéa NDC. This document is intended solely for information purposes. If you are not the intended recipient you are notified that disclosing, copying or distributing the contents of this document or information is strictly prohibited. Any Amadeus intellectual property or other information contained in this document or relating to the solutions, any products or services described herein shall remain the sole and exclusive property of Amadeus or its licensees, as applicable. Nothing herein shall constitute a license, transfer or other grant of any rights in or to the information or intellectual property contained or referenced herein. Any solutions, products,

services or company names that may be referred to in this presentation that are trademarks are herewith acknowledged. Any disputes in connection with the breach of the above provisions shall be governed by and construed in accordance with English law and is submitted to the exclusive jurisdiction of the courts of London. Any content within this document is subject to an agreement being entered into between the parties and will not be considered as binding until agreed and formalized by the parties under a definitive agreement.