



NDC Configuration Setup

Description

NDC Configuration setup is a mandatory part of the requests that the Airline should receive from the NDC Partner.

For Aggregators:

```
<PointOfSale>
  <Country>
    <CountryCode> POINT OF SALE COUNTRY CODE</CountryCode>
  </Country>
</PointOfSale>
<Party>
  <Recipient>
    <ORA>
      <AirlineDesigCode>AY</AirlineDesigCode>
    </ORA>
  </Recipient>
  <Participant>
    <Aggregator>
      <AggregatorID>PARTNER AGGREGATOR ID</AggregatorID>
    </Aggregator>
  </Participant>
  <Sender>
    <TravelAgency>
      <AgencyID>AGENT AGENCY ID OR IATA NUMBER</AgencyID>
      <IATA_Number>AGENT IATA NUMBER</IATA_Number> For IATA Agents only
    </TravelAgency>
  </Sender>
</Party>
```

For Direct Connects:

```
<PointOfSale>
  <Country>
    <CountryCode>POINT OF SALE COUNTRY CODE</CountryCode>
  </Country>
</PointOfSale>
<Party>
  <Recipient>
    <ORA>
      <AirlineDesigCode>AY</AirlineDesigCode>
    </ORA>
  </Recipient>
  <Sender>
    <TravelAgency>
      <AgencyID>YOUR IATA NUMBER</AgencyID>
      <IATA_Number>YOUR IATA NUMBER</IATA_Number>
    </TravelAgency>
  </Sender>
</Party>
```





Important:

- AgencyID field is mandatory in **all messages**. Therefore, the IATA number of IATA agents needs to be sent in both the IATANumber and AgencyID fields.
- For **Direct Connects**, SystemID must be added under Party node, in **OrderCreateRQ** only:

```
<Participant>  
  <EnabledSystem>  
    <SystemID>PARTNER SYSTEM ID</ SystemID>  
  </EnabledSystem >  
</Participant>
```

- In **AirlineProfileRQ**, PointOfSale node must be renamed as POS (as per IATA XSD):

```
<POS>  
  <Country>  
    <CountryCode>POINT OF SALE COUNTRY CODE</CountryCode>  
  </Country>  
</POS>
```